

The City of Olean is seeking quotes to place protective film on windows at the Water Filtration Plant at 1332 River Street, Olean, NY 14760. These include five sets of office windows and one large entry set of windows (refer to attached drawings.) Specifications are as follows:

Minimum Requirements for Window Film

	<u>Entry</u>	<u>Offices</u>
Visible Light Transmission	<35%	<20%
Solar Energy Reduction	<45%	<60%
UV Reduction	min 99%	min 99%
Reflectivity, Interior	<10%	<20%
Reflectivity, Exterior	<15%	<20%

1. Company must be fully insured
2. It is preferred that the company be International Window Film Association Certified.
3. New York State Prevailing wage rules are in effect. PRC# will be given upon request.
4. Three written commercial references are required.
5. Minimum of ten-year warranty on product and installation.
6. The City of Olean reserves the right to accept or reject any and all bids.

Any interested bidder may make an appointment to inspect the windows prior to bidding. Please call either Dan Gore or Dale Walker at 716-376-5699 to make an appointment.


Deadline for bids: November 11th 2011.

Send bids and references to:


**Olean Water Plant
1332 River Street
Olean, NY 14760**

Or fax bids to 716-376-5704

Entry Layout (glass dimensions rounded up to nearest inch) – ONE UNIT



Office Window Layout (Glass dimensions rounded up to nearest inch) – FIVE UNITS



THESE ARE FOR REFERENCE ONLY. WINNING BIDDER MUST CONFIRM DIMENSIONS PRIOR TO BEGINNING WORK